Scott IX-37—36,004—4-11-46.

EDUCATION AND PUBLIC HEALTH **(194 8) Department.**

MS. **SERIES.**

G.O. NO. MS. 358 P.H.

35

Dated 7th February 1948.

closed
B
Supdt

[Despatch Abstract.]

Malaria - Hospet Municipality - Permanent Control measures - Improvements to Basavannah channel as an anti malarial measure - Proposal approved.

From
Bri Rao Bahadur
A.R. Venkata Acharya, B.E., I.S.E.,
Chief Engineer for Irrigation,
Chepauk, Madras.

To
The Secretary to the Government
Public Works Department,
Madras.

No.279/47-N-5 d/.19-9-47.

Sir,

Sub: Malaria - Hospet Municipality - Permanent Control measures Improvements to Basavannah channel - Proposals - submitted.

I submit herewith an approximate estimate amounting to Rs.2400/- for works or Rs.2740/- inclusive of centage charges for "Reforming the surplus channel taking off from the left side of the outlet at 15/5 plus 240 of the Basavanna extension channel as an antimalarial measure within Hospet Municipal Limits for sanction. The proposals are explained in the report accompanying the estimate.

2. The estimate is chargeable to 'Public Health', hence centage charges are included.

FOR CHIEF ENGINEER (IRRIGATION).

Tps.19/9
Enc: 1 estimate with report.

32 | Mad

Education & Public Health Department

Encl 79904/47-1. E1-P H dated 10.10.47

Referred to the Director of Public Health for remarks.

I.B. Lucas
Assistant Secretary to Government

To
The Director of Public Health, Madras.
(to be returned in original with a reply)

From

The Director of Public Health,
Madras.

To

The Secretary to Government,
Education and Public Health Dept.,
Madras.



Sir,

R.No. 72262-1-Mal.47 dated 30.x.1947.

87533

Sub:- Malaria - Hospet Municipality - Permanent control measures - Improvement to Basavanna channel - Estimate - Approved.

In retransmitting herewith the letter No.279-47-M.5 dated 19.9.47 of the Chief Engineer (Irrigation) received with Government endorsement No.79904-47-E1 P.H. dated 10.x.47, I have to state that the estimate of Rs.2740/- for improvements to the Basavanna channel within Hospet Municipality as an antimalarial measure may be approved.

for Director of Public Health, Madras. 4.11.47

prg/3.

ERd 10/12/47
1 : 30/12/47

Sub: Malaria – Hospet Municipality – permanent control measures – Improvements to Basavannah channel – proposals.

Ref. from the CE (I) No 279/47-N-5 dated 19.9.47
" DPH Rc No 72262-1+Mal 47 dated 30 X 47

—x—

Memo 79904/47-2 Et PH dated 20/XI/47

The D.P.H is requested to ascertain and report whether the Municipal Council, Hospet can meet any portion of the expenditure on the work proposed by the Chief Engineer (Irrigation) in his letter cited above. Amt of Rs. to be borne by the Municipality may also be intimated.

18/11/47

To The D.P.H Madras

Copy forwarded CE I

Et PH
E1

From

The Director of Public Health,
Madras.

To

The Secretary to Government,
Education and Public Health Dept.
Madras.



Sir,

R.No. 72262-3-Mal. 47 d/23.12.47.

Sub:- Malaria - Hospet Municipality - Permanent control-measures - Improvements to Basavanna channel.

Ref:- Govt. Memo No. 79904-47-2-E1-P.H.. d/20.11.47. and reminder d/10.12.47.

The matter is under correspondence with the Special Officer and Commissioner, Hospet Municipality. As soon as his report is received, a reply will be sent to Government.

for Director of Public Health, Madras.

EAPH
4

Please see the interim reply of the DPH at page 11 ante. He may be reminded if necessary, on 27-1-48.

5/1/48

6/1/48

7.1.48

From

Rao Bahadur Dr. R.M.Mathew, D.P.H., D.T.M.& H., M.R.C.P.,
Director of Public Health,
Madras.

To

The Secretary to Government,
Education and Public Health Dept.,
Madras.



Sir,

R.No. 72262-Mal.4 of 47 d/9.1.48.

25/25

Sub:- Malaria - Hospet Municipality - Permanent control measures - Improvements to Basavanna channel.
Ref:- Govt. Memo No. 79904/42/-2 El P.H. d/20.11.1947.

p9 ante. 1/4 infra

With reference to Government Memo cited above, I enclose a copy of Resolution No.145 d/14.9.47, of the Municipal Council-Hospet, furnished by the Municipal Health Officer, Hospet, for information of Government. In this connection I invite attention of Govt. to G.O.No. Ms.1616 P.H. d/10.5.47 wherein they have sanctioned an expenditure of Rs.68,400/- from provincial funds for improvements to the Raya channel within Hospet Municipality as an antimalaria measure.

p9 ante

(4)/47-48

for Director of Public Health, Madras. 5/1/48

1/4

5/1/1

pto.

Copy of the Council's Resolution No.145, dated 14.9.47.

The Council is not willing to pay any contribution as Hon'ble M. Bhaktavatsalam assured the Council in reply to our address that Tungabadra Project will bear all antimalarial expenses.

not received in this Deptt in probably in Finance Deptt

/true copy/

for Director of Public Health, Madras.

15 EAPH / Eg.

Sub: Malaria. Hospet Municipality - Permanent Control measures - Improvements to Basavannah channel as an anti malarial measure - ~~Estimates~~ proposal approved.

Ref: from the CE No 279/47-N-5 dated 19.9.47
p7cf. from the DPH Rc No 72262-1-Mal 47 dated 30 X 47
p11cf " Rc No 72262-3 Mal 47 dated 23 12 47
p13cf " Rc No 72262/Mal.4 of 47 dated 9 1 48.

—x—

Order MS 358 P.H dated 7-2-48

The Govt approve the proposal of the CE (9) contained in his letter referred to above and sanction the incurring of an expenditure of Rs 2,740 (Rupees two thousand seven hundred and forty only) as for the purpose of carrying out improvements to the Basavannah channel as an anti malarial measure

P.T

within the Hospet municipal limits

2/ The expenditure should be debited to "39 Public Health - C Expenses in connection with epidemic diseases - B other epidemics - Malaria - I ordinary areas." p'c/f

3/ The D.P.H is requested to apply for additional appropriation of funds, if necessary ~~for carrying out the above work~~ in due Course p'c/f

4/ The D. P. H is requested to state in consultation with CE(I) whether the patroller will have to be employed for four months every year and if so, how he proposes to meet the recurring expenditure on account of his employment. A or p 6 n/f

To the CE(I) (with ffs 3-6 c/f) in orgl

~~Copy~~ To the DPH in A.G. thro

7/2/48

4/2/48

6/2/48

2 ref.

6/10/48

42
19.4.48
LP
19/4
28093

Memo 28093/48-1-S1-PH dated 19.4.48

Sub: Malaria - Hospet Municipality - Permanent Control measures - Improvements to Basavannah Channel as an anti malarial measure - Proposal.

Ref: Pp 5-16 Gf (1)

G.O no 358 P.H dated 7.2.48.

—x—

The attention of the D.P.H is invited to the Orders in para 4 of the G.O. referred cited above and he is requested to state when his reply will be sent.

G/ pasc'd

for the D.P.H
Madras

Pp 23.4.48

14/4/48

15/4/48

Note The draft above is with reference to the orders in para 4 of the G.O. read above.

14/4/48.

Public Health Department.



From
The Director of Public Health,
Madras.

To
The Secretary to Government,
Education & Public Health Dept.
Fort St. George, Madras.

R.No. 72262-7-Mal/47 Dated 12-5-48.

Sir,

Sub:— Malaria - Hospet Municipality - Permanent control measures - improvements to Basavannah channel as an antimalarial measures - proposal.

35389

Ref:— Government Memo No. 28093-48-1 El P.H. dated 19-4-48.

The matter is under correspondence with the Chief Engineer (Irrigation), Madras. A reply will be sent to Government as soon as his reply is received.

K Bhavanandam
1/2 For Director of Public Health,
Madras.

Copy to the Chief Engineer (Irrigation), Madras.
An urgent reply to this office R.No. 72262-6-Mal/47 dated 15-3-48 is requested.

E & P.H

Please see the interim reply of the D.P.H above. The receipt of this final reply in the matter may be awaited till 31.5.48

E

Public Health Department. K21/172

From
Director of Public Health,
Madras,

To
The Secretary to Government,
Education & Public Health Department,
Fort St. George, Madras.

666

R.No. 72262-8-Mal. Dated 9-6-48.



Subj:- Malaria - Hospet Municipality - Permanent control measures Improvements to Basavanna channel as an antimalarial measures.

Ref:- Government Memo No. 28093-48-1-E1 P.H., dated 19-4-48. 1 ante
and Reminder dated--31-5-48.
This office letter R.No. 72262-7-Mal of 48 dated 12-5-48. 3 ante

The matter is under correspondence with the Chief Engineer (Irrigation), Madras. A reply will be sent to Government as soon as a final reply is received from the Chief Engineer (Irrigation), Madras.

43799

2/2 For Director of Public Health,
Madras.

CSM
12/6

E&P.H(E)

Please see the interim reply above. The receipt of a final reply from the DPH may be awaited till 2.7.48.

16/6

17.6.48

R.No.72262-10Mal-48. Office of the Director of Public Health
Madras, dated 15th July '48.

From

Rao Bahadur Dr.R.M.Mathew, D.P.H.,D.T.M & H.,M.R.C.P (Lon)
Director of Public Health, Madras.

To

The Chief Engineer (Irrigation)
Chepauk, M a d r as.

Sir,

Sub: Malaria-Hospet Municipality-Permanent measures-Improvement to Basavanna Channel as an anti-malarial measure.

Ref: This office Letter R.No.72262-6Mal-48 dated 15-3-48, letter R.No.72262-7Mal-48 dated 12-5-48 addressed to Secretary to Government, Education & Public Health Department. Copy sent to you, letters R.No.72262-9Mal-48 dated 9-6-48 and reminder dated 29-6-48.

ASST. SECRETARY TO GOVERNMENT
19 JUL 1948
EDUCATION AND PUBLIC HEALTH DEPT.
53445

I request that an early reply may be sent to this office references cited above as Government are pressing for an early reply.

H.16/7.

For Director of Public Health, Madras.

Copy to Secretary to Government with reference to Government Memorandum No.2809)/48-1.E1.P.H., dated 19-4-48 and Reminder dated 6-7-48.

E+P.H

Please see the copy of the letter (above) from the DPH addressed to the CE (I).

P.T.O.

receipt of
The Dr's final reply to the memo at page
1 ante may be awaited till 4.8.48

19/7/48

14/7

Public Health Department.

From

The Director of Public Health, Madras.

To

The Secretary to Government, Education and Public Health Department, Madras.

R.No.72262-11.Mal/47 dated 29th July 1948.

Sir,

Sub: Malaria - Hospet Municipality - Permanent control measures Improvements to Bassavannah channel as antimalarial measures.

57299 MUD

Ref: Government Memo No.28093-48-1.El.P.H., dated 19-4-48.

In continuation of my letter R.No.72262-8-Mal.47 dated 9-6-1948 I forward herewith a copy of the letter No.279/47.N.10 dated 19-7-1948 of the Chief Engineer (Irrigation) for information of Government.

for Director of Public Health, Madras.

ahr/30-7.

Copy of letter No.279/47.N.10 dated 19th July 1948 from the Chief Engineer for Irrigation, Madras to the Director of Public Health, Madras.

Sub: Malaria Hospet Municipality - Permanent control measures Improvements to Basavannah channel as antimalarial measures.

Ref: Your letter No.72262-Mal.dated 9-6-1948.

The superintending Engineer's reply has been received and it is under examination. A reply will be sent shortly.

ahr/30-7.

(True Copy)

for Director of Public Health, Madras.

Please see the DPH's letter ~~overleaf~~ and the enclosure overleaf. The receipt of a final reply from the DPH may be awaited till 21.8.48

DS

21/8/48

21/8/48

VR
21/8/48

68451

From

The Director of Public Health,
Madras.



To

The Chief Engineer (Irrigation),
Chepauk, Madras.

Sir,

R. No. 72262-12-Mal.48 d/9.9.1948.

Sub:- Malaria - Hospet Municipality - Permanent control measures - Improvements to Basavanna channel as antimalarial measures.
Ref:- Your letter No. 279/47 H10 d/19.7.48.

A reply to this office letter R.No.72262-6-Mal.47 dated 15.3.48 promised in your letter cited above may be sent to this office at a very early date as Government are pressing for an early reply on the subject.

K. S. Krishnaswamy 13/9/48.
for Director of Public Health, Madras.

Copy to: Secretary to Government, Education and Public Health Dept., with ref. to Govt. reminder d/24.8.48.

EAH

Please see the letter of the D.P.H on page 11 ante addressed to the CE (Irigation) Soon after the receipt of a reply from the CE (I) in the matter the D.P.H does not submit his final reply. The receipt of the final reply from him may be awaited. Sd 10.10.48

14/9/48

From
Sri Rao Bahadur
A.R.Venkata Acharya, B.E., I.S.E.,
Chief Engineer for Irrigation,
Chepauk, Madras.

To
The Director of Public Health, Madras.

72320

No.279/47-M-12 d/.24-8-48.

Sir,

Sub: Malaria - Hospet Municipality - Permanent Control measures - Improvements to Basavannah channel as Antimalarial measure - Employment of a Patroller

Ref: G.O. Ms. No.358 P.H. dated 7-2-48.
Your letter No.R.72262-6-Mal.47 d/.15-8-48.

I have no objection to your proposal to meet the expenditure on the employment of the patroller from the Provincial funds every year.

2. I suggest that the employment of the patroller and the Supervision of his work may be entrusted to the officers of your Department at Hospet as this would be a more appropriate arrangement to ensure efficiency. Incidentally you will be also saving the centage charges otherwise payable if the patroller is to be attached to the Public Works Department. I am instructing the Superintending Engineer to delete the provision made in the estimate (approved in G.O. No.358 Public Health d/.7-2-48) for the employment of the Patroller for four months.

VAnnishwaraswami 25/8/48
FOR CHIEF ENGINEER (IRRIGATIO

Copy to the Secretary to Government, E.& P.H. Dept.

tps.24/9

S.H.P.H
E

Please see the letter from the CE (9) on page 13 ante addressed to the D.P.H A copy of it has been sent to Govt for information. The receipt of a reply from the D.P.H to the memo at page 1 ante may be awaited till 15-10-68

29/9/68

1/10/68

Public Health Department.

From-
Rao Bahadur Dr.R.M. Mathew,
M.R.C.P., D.T.M.& H., D.P.H(Camb),
Director ofPublic Health,
Madras.

To
The Secretary to Government,
Education and Public Health Departme
Fort St. George,
Madras.

R.No. 72262-13 Mal 48 dated 20.10.48.

Sir,

Sub : Malaria - Hospet Municipality - Permanent control measures Improvement to Basavanna channel as an anti-malarial measur

Ref : Government Memorandum No.28093-48 M1 P.H. dated 19.4.48.

...

A patroller is necessary for a period of 4 months every year. His salary may be met from the head of account "39 P.H. - C Expenses in connect with epidemic diseases - B other Epedimic- Malaria-1. ordinary areas". He may be placed under the control of Municipal Health Officer, Hospet. A copy of letter No.279/47 N.12 dated 24.9.48 of the Chief Engineer for Irrigation is enclosed for information of Government.

for Director of Public Health, Madras.

..

Copy ofletter No.279/47-N.12 dated 24.9.48 from the Chief Engineer for Irrigation, Madras to the Director of Public Health, Madras.

Sub : Malaria - Hospet Municipality - Permanent control measures - Improvements to Basavannah channel as Antimalarial measure - Employment of a Patroller.

Ref : G.O.Ms.No.358 P.H. dated 7.2.48
Your letter No.R./2262-6 Mal.4/ dated 15.3.48.

...

I have no objection to your proposal to meet the expenditure on the employmentof the patroller from the Provincial funds every year.

2. I suggest that tht employment of the patroller and the Supervision of his work may be entrusted to the Officers ofyour departme at Hospet as this would be a more appropriate arrangement to ensure efficiency. Incidentally you will be also saving the centage charges otherwise payable if the patroller is to be attached to the Public Works Department. I am instructing the Superintending Engineer to delete the provision made in the estimate (approved in G.O. No.358 Public Health dated 7.2.48) for the employment of the Patroller for four months.

True Copy.

17 E&PH

Tom by post dated 29/x/48

From

The Joint Secretary to Govt.
E&P. H Deptt.

To

The DP. H
Madras

Ref: your letter Rno 72262-13 Mal 48 dated 20.10.48 regarding ~~the~~ employment of a patroller ~~for 4 months in a year~~ to look after the Basawannah channel during rainy season -

-x-

Please say whether it is proposed to pay the patroller from contingencies and if so ~~how much~~ at what rate per mensem.

26/x/48

~~26/x/48~~

29-10

From

Tr'n by post dated 25/11/48

To

The Deputy Secretary to Govt
E&P. H Deptt.

The D.P. H
Madras

Ref: your letter Ena 72262-13 Mal 48 dated 20/10/48 regarding the employment of a patroller to look after the Basavannah channel during rainy season.

Please expedite your reply to this Deptt's telephonic message by post dated 29/x/48 on the subject cited above.

Telephonic message by post d/8.12.1948.

From

The Director of Public Health,
Madras.

To

The Dy. Secretary to Government,
Education and Public Health Dept.,
Madras.

Sub: - Malaria - Hospet Municipality - Employment of a patroller to look after the Basavannah channel during rainy season.

Ref:- Your telephonic message by post d/25.11.1948.

The matter is under correspondence with the Municipal Health Officer, Hospet and a reply will be sent to Government as soon as the reply is received from the Municipal Health Officer.

T. Parthasarathy 9.12.48

for Director of Public Health, Madras.

10 DEC 48

prs/9.12.

Please see p. 19 ante. Ext. H

The receipt of a final reply from the D.P.H may be awaited till 27.12.48

11/12/48.

11/12/48

13/12/48

R.No. 72262-16-Mal.47 dated 29.12.1948.

From

Rao Bahadur Dr.R.M.Mathew, D.P.H., D.T.M.& H., M.R.C.P.,
Director of Public Health,
Madras.

To

The Secretary to Government,
Education and Public Health Dept.,
Madras.

Sir,

R. No.72262-16-Mal.47 dated 29.12.1948.

Sub:- Malaria - Hospet Municipality - Permanent control measures Improvements to Basavanna Channel - Employment of a Patroller.
Ref:- Govt. (E.& P.H.) Dept. telephonic message by post d/29.10.1948

It is proposed to pay the Patroller from Contingencies at the rate of Rs.31/- (Rs. 15 plus Rs.16 D.A) per mensem.

T Parthasarathy 29/12/48
for Director of Public Health, Madras.

Brs/29.12.

Not put up

A draft order has to be put up with typing in orders in file no 358/P/II

7.2.48.

P. Hd 7.2.48

The original of file no 358 which is required for the disposal of this current is put up in another file cno 61153/48. As that file has been sent to Pwd and Fin, the receipt of it may be awaited till 10.1.49.

8/1/49

7/1/49

Subj: Malaria - Hospet Municipality - Permanent Control measures - Improvements to Basavannah Channel as an anti-malarial measure - Employment of a watcher for four months in a year - Sanctioned.

p3 cf Ref: from the DPH Rno 72262-7 mal/47 dated 12.5.48
p5 cf " 72262-8 mal dated 9.6.48
p7 cf " 72262-10 mal 48 dated 15.7.48
p9 cf " Rno 72262 11 mal 47 dated 29.7.48
p13 cf " Rno 72262-13 mal 48 dated 20.10.48
p19 cf " T.m by post dated 8/12/48
p21 cf " Rno 72262-16 mal 47 dated 29.12.48.

Memo 28093/48-3. E-PH dated 31.1.49

p15 cf The Govt approve the proposal of the DPH that a patroller may be employed for a period of four months every year to look after the Basavannah channel during

P.TO

the raining seasons. The Patroller will be paid from contingencies at the rate of Rs 3/- or at the prevailing market rates which ever is less. (Rs 15 plus Rs 16 dearness allowance) per mensem and the ~~and~~ will be under the control of the Municipal Health Officer, Hospet.

2 The expenditure is debitable to to "39. P.H. C. Expenses in connection with Epidemic Diseases. B. Other epidemics - Malaria. I. ordinary areas".

20/1/49

20/1/49

Finance may see no for acceptance.

OR The papers may be stitched after issue. with issue fo. at ✱ (Govt 358 PH d 7.2.48)

20/1/49

20/1/49

/21 Cf.

/15 Cf.

/15 Cf.

To the DHT
CE(S)
AG thro Fin
(Sc)

ASSISTANT SECRETARY TO GOVERNMENT
4131
21 JAN 1949
PUBLIC DEPARTMENT

PH no 26093/48-2-Fin-Plg
24/1/48.

FIN(E III)

Please see the letter from S.P.H. on pages 15 c/ and 21 c/. The draft order on pages 1-2 above may be accepted, subject to the ~~suggested~~ additions amendments indicated in pencil

DM 25.1.49 DIR 25.1.49

25/1

E-PH

KS/EPH

SAP.H

Fin.U.O.4131/EIII-1

25.1.49

The draft memo ~~order~~ as added to by Finance may now issue

3/27/1/49

29/1

5542

26 JAN 1949

29/1/49

S 29/1

Subt Malaria - Hospet Municipality - permanent control measures - Improvements to Basavannah channel proposals

Ref. from the Chief Engineer (Irrigation) No 279/47-N-5 dated 19-9-47

from the D P H-Rc. 72262/47-1-Mal. 47 dated 30-X-47

-x-

I Please see the C E (I)'s letter on pages 1 CF and the remarks of the D. P. H thereon at page 7 CF. The Superintending Engineer, Anantapur Circle has submitted proposals for reforming the surplus channel taking off from the left side of the outlet (at 15/5 plus 240) of the Basavannah extension channel as an anti-malarial measure within Hospet Municipal limits. It is stated that the whole course of surplus channel is within Hospet Municipal limits and that due to irregular and deep scours formed both in bed and side slopes of the course, water stagnates in pools resulting in mosquito breeding. In order to prevent the scouring action and thereby avoiding the breeding of mosquitoes the Sup'g Engineer has proposed to align the surplus course with a bed width of 20' and side slopes 1:1 protected with roughstone revetment 1'0" thick for 10' length at suitable intervals. It is also proposed to grade the bed of the channel suitably to admit free flow of water and to carry the maximum discharge. The approximate estimated cost of the work is Rs 2400; and including the Centages charges of Rs 340/- it works out to Rs 2740/-. The above estimate also provides for a ~~Patrollers~~ Patrol for 4 months to look after the channel during rainy season in addition to carrying out of the works mentioned above. The C E (I) and D.P.H approve the above estimate. for orders whether the estimate may be approved.

6. (Patrollers) 4 Nos

subject to orders P.W.D and finance [illegible]

See [illegible] for remarks

Thanks

Is financial approval
of this question? With reference
Mr. Clerk

Sd/-

As's queries above.

Submitted. In Go 1616 P.H dated 10.5.47 the Govt have approved the proposal of the CE (I) to revet the sides of the Raya channel within the Hospet Municipal limits as an anti-malarial measure and sanctioned for the purpose a sum of Rs 68,400/- ~~the Ml council is not meeting any portion of the Cost of the work.~~ the entire cost of the above work being is met by Govt ~~though~~ The CE I has obviously presumed that the expenditure now proposed, viz on the work of carrying out improvements to the Basavannah channel is chargeable to Public Health. ~~The has not stated whether the proposed work to be financed entirely by Govt. It appears from the nature of the proposals submitted by the CE that Govt will have to meet the entire cost.~~ For orders whether the D. P. H may be specifically asked to consult the ml council as to whether or not it can meet any portion of the cost of the work.

as the ml cl is not in a position to meet any portion of the expenditure and as the Channel is owned and maintained by Govt.

Before he Consults the ml cl

Sd/-

12/11/47

Ys.

15/11

A draft memo to the DPH is submitted for approval.

Sd/-

18/11/47

18/11/47

[Issued as Memo 7901-H/47-2 E1PH dated 20/11/47]

from the D.P.H Rc 72262-H/47 of 47 dated 9.1.48]

Please see the Memo to the D.P.H at page 9 c/f and his reply thereto at page 13 c/f. The Municipal Council Hospet, expresses its unwillingness to bear any portion of the expenditure on anti-malarial works carried out within the municipality since the D.P.H also draws the attention of Govt to the orders in G.O. 1616 P.H dated 10.5.4

Yes, on the analogy of the Raya Channel improvements

it is to be presumed that the entire cost of the work of improvements now suggested by the C.E.(I) to the Basavannah channel will have to be borne by Govt. In the circumstances it is for orders whether the estimate of Rs 2740/- will be approved.

Subject to orders, P.W.D and Finance may see no for remarks

13/1/48

5/1/48

16-1 ack. DS

17/1/48

Hlth 79904/W3-21-PH
19/1/48

PWD/Finance

P.W.D(I).

The proposal relates to the reforming the surplus channel taking off from the left side of the outlet at 15/5 plus 240 of the Basavannah extension channel as an anti Malarial measure within Hospet Municipality. The cost of the work estimated to be Rs. 2740/- for which the C.E & P.H. proposed that the entire cost be met by Govt. and debited to the Head "Public Health" as suggested by the C.E(I). This department may agree.

This may be passed on to Finance

J 21.1.48

FINANCE DEPARTMENT

23.1.48

Fin (Sec I)

P.W.D & L.D.NO: 355 J/48-1
26.1.48

The articles mentioned above may be perused.

2 In the circumstances stated, Finance may agree

the execution of improvements to the Basavanna Channel at an estimated cost of Rs 2,740, as an authorised measure in their Hospet Municipal limits. Presumably the Executive Engineer referred to at [illegible] will be employed [illegible] paid from Communicable Dis. Control Scheme (Malaria) Estt. [illegible] E.P.H. with no doubt take steps to provide the necessary funds under 3 of Public Health.

A

Thro' Fin (Estt)

Short Note

30.1.48

DS
31.1.48

MR
7/2/48

EPH

Fin 20. 4915 Expc-1
3.2.48

E&PH (E1)

ASSISTANT SECRETARY TO GOVERNMENT
7914
8 - FEB 1943
EDUCATION AND PUBLIC HEALTH DEPARTMENT

Please see the PWD and Finance depts notes from page 3 ante. A draft order is submitted for approval. The points referred to at A are included in the draft.

4/2/48

5/2

J.S. 6/2/48